



Texas Water Development Board Groundwater Database Reports



Cooperator Infrequent Constituent Report

County: Anderson

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3458905						
	3/27/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/27/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3460602						
	3/14/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/14/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3461505						
	7/27/2004	01067	NICKEL, TOTAL (UG/L AS NI)	<	1	
	7/27/2004	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	0.8	
	7/27/2004	01027	CADMIUM, TOTAL (UG/L)	<	1	
	7/27/2004	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10	
	7/27/2004	01042	COPPER, TOTAL (UG/L AS CU)		0.0045	
	7/27/2004	01051	LEAD, TOTAL (UG/L AS PB)		1.5	
	7/27/2004	01007	BARIUM, TOTAL (UG/L AS BA)		59.4	
	7/27/2004	01059	THALLIUM, TOTAL (UG/L AS TL)	<	0.4	
	7/27/2004	00945	SULFATE, TOTAL (MG/L AS SO4)		8	
	7/27/2004	01077	SILVER, TOTAL (UG/L AS AG)	<	10	
	7/27/2004	01092	ZINC, TOTAL (UG/L AS ZN)		14.6	
	7/27/2004	01055	MANGANESE, TOTAL (UG/L AS MN)		4	
	7/27/2004	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	20	
	7/27/2004	00951	FLUORIDE, TOTAL (MG/L AS F)	<	0.1	
	7/27/2004	01147	SELENIUM, TOTAL (UG/L)	<	3	
	7/27/2004	00940	CHLORIDE, TOTAL (MG/L AS CL)		3	
	7/27/2004	00929	SODIUM, TOTAL (MG/L AS NA)		34.5	
	7/27/2004	00927	MAGNESIUM, TOTAL (MG/L AS MG)		2.96	
	7/27/2004	00916	CALCIUM, TOTAL (MG/L AS CA)		12.1	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3461807	7/27/2004	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42.4	
	7/27/2004	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	7/27/2004	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	7/27/2004	00440	BICARBONATE ION (MG/L AS HCO3)		135	
	7/27/2004	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		111	
	7/27/2004	00403	PH (STANDARD UNITS) LAB		7.7	
	7/27/2004	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2	
	7/27/2004	70301	SOLIDS, DISSOLVED, SUM OF CONSTITUENTS, MG/L		146	
	7/27/2004	71885	IRON (UG/L AS FE)		38	
	7/27/2004	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.4	
	7/27/2004	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	1	
3801504	3/15/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/15/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3801806	3/12/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/12/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3804102	3/12/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/12/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3805703	3/13/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/13/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3810111	3/14/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/14/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/12/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3812703	3/12/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/11/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/11/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3813107	3/14/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/14/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/25/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3820804	3/25/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/27/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/27/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3821506	3/26/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3821706	3/26/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3822802	3/26/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/26/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3829206	3/27/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	3/27/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	